

Guidance for Homeopathic Nosodes

A bottle of Homeopathic nosodes is provided at the time of puppy pickup. Homeopathic remedies are a form of alternative medicine that work very differently than traditional drugs or herbs. A dilution using a tiny amount of an agent that causes the illness is formulated, diluted in clean water and then energized by shaking vigorously. This transmits an imprint of the agent onto the water molecules used to make the dilution. Then, a series of successive serial dilutions (e.g. 1 part to 10, 100 or 1000 parts water) with activation by shaking between each dilution to reach the desired potency. In general, the higher the dilution factor, the stronger the potency. By the time the final dilution is reached, such as 6x, 10x, 30x, etc., the original agent is no longer present, only the imprint made on the water molecules remains. The imprint performs the signaling.

This approach treats the body as a system that can be healed by matching the characteristics of an illness against small amounts of plant or mineral extracts that briefly mimic the illness and thus signal and instruct the immune system to react. The body protects itself and instead of relying on a drug to cover or mask the symptoms of the illness. Homeopathy is energy medicine, and the fact remains that homeopathy consistently works and has been used since the days of the early Greek physicians such as Socrates and Aristotle, circa 300 B.C. Homeopathy was brought into the modern age by Dr. Samuel Hahnemann in the 1800's.

Please follow these cautions with homeopathic remedies to maintain their potency:

- Avoid exposing homeopathic remedies to magnets, x-rays (such as around a TV, VCR, microwave, airport x-ray machines etc.)
- Avoid setting homeopathic remedies on blue/green colored surfaces because those colors drain energy and neutralize the imprint on the water molecules.
- Avoid exposing homeopathic remedies to strong herbal substances like eucalyptus, mint, perfumes, lotion, garlic, etc. The chemical signatures of these substances overpower the energy signature of the remedy.
- Avoid placing remedies on a metal surface as metal conducts energy and can neutralize the potency.

How to Administer a Homeopathic Remedy Dose:

- Homeopathics must contact the mucous membranes. Use enough remedy to wet the mouth (they are not designed to be swallowed.) If swallowed quickly, then wet the mouth with a fresh dose.
- Allow the remedy to puddle in the mouth and they work best when held in the mouth for 5 to 10 minutes, or as long as possible.
- Please make sure that the mouth is clean – waiting to administer at least 15 minutes before or after food or drink. Homeopathics can be given every 15 minutes if needed.

Homeopathic Nosode Remedy Contents

The bottle of Homeopathic nosodes that is provided contains sarcodes (viral/bacterial agents from vaccines) as well as nosodes (agents with healing properties) of various potencies. The formulation may change over time, but the base sarcodes and nosodes included are listed below. The source agents were purchased from Everglo Natural Veterinary Services. <https://www.everglonaturalvet.com> (Please visit their website for other Holistic and Homeopathic remedies that are available for other conditions.)

- | | | |
|------------------------|----------------|-----------------|
| • Canine Distemper | • Parvo | • Lyme Disease |
| • Canine Hepatitis | • Kennel Cough | • Lymph |
| • Canine Leptospirosis | • Corona | • Vaccine Detox |

Step 1: Make a Daily Dose Dilution (this conserves and preserves the master Remedy)

The bottle of Homeopathics provided needs to be conserved and preserved so that it will last a long time. If the original bottle and contents are kept clean and uncontaminated, then it is enough to last a life time. (If the bottle spills, or the contents get used up, don't worry, there should be a small amount left in the bottom of the bottle – perhaps 20 drops or so. To re-supply, fill the bottle with fresh clean water and shake it vigorously at least 100 times – or more. Add a tablespoon of Gin or Vodka as a preservative. Then you have a fresh new

Master Remedy bottle to make dilutions from again.) Homeopathics works by dilution, so a dilution of the master will be a little more potent as long as it has remained clean.

To keep the master Remedy has clean as possible, obtain a new 2 to 4 ounce clean glass or plastic dropper bottle to make a “daily dose” bottle. Place 20 drops from the master bottle into the daily dose bottle. Add clean water and shake vigorously at least 100 times. Now, this daily dose bottle is ready to administer the homeopathic remedy, and if it becomes contaminated, clean the bottle and make a fresh dose. It is OK to add a few drops of alcohol (like gin or vodka) to preserve the batch (this is optional.) Too much alcohol will sting - and the dog will reject the dose. You might have to experiment to find what works best for each dog.

Administration of Homeopathics

For liquids, shake the daily dose bottle vigorously and then drench the mouth such that the liquid contacts the inner membranes. The key action is to have maximum contact with the mucous membranes inside the cheeks, lips and under the tongue.

If using tablets, place them between the cheek and the gum to slowly dissolve. Swallowing or eating/drinking either before or after using homeopathics makes the dose less effective. (Tablets are not provided for puppy pickup.)

Homeopathic remedies have not shown to produce any side effects.

Homeopathic Nosode Schedule to transfer immunity over time:

When the homeopathic remedies provided are administered to the dog over a period of 8 to 12 months, they will acquire immunity to the nosodes/sarcodes contained within, without requiring vaccination or exposure.

- Example #1, a puppy that had been given the nosodes on a regular schedule (similar to the one below) resulted in the development of antibodies to Lyme disease without receiving the vaccine or being exposed (or bitten by a tick.)
- Example #2, a puppy that had not been vaccinated for Parvo, but had been taking the homeopathics for Parvo for 4 weeks went to a home that had a history of Parvo infection. The puppy came down with symptoms on a Sunday night and went to see the vet the next day. The vet tested and confirmed that the puppy had contracted Parvo, the puppy was put on fluids and remarkably, by the end of the day, had regained health and was ready to go home. The homeopathics had enabled the body to respond quickly and effectively when exposed to the virus.

Recommended Homeopathic dose and schedules

1) When puppy first goes home:

- Daily Series: Start with a dose once or twice a day for 1 to 2 weeks.
- 2x Weekly Series: Then dose twice per week for 2 months
- 1x Weekly Series: Once per week for 4 months
- Monthly Series: Once per month for the next 6-12 months

2) If puppy/dog receives a vaccination or booster shot (from the vet) for any virus or contagion:

- Dose the puppy/dog 3 to 4 times a day for the first 2 to 3 days
- Continue with the Series from Schedule #1. You can pick up where you left off or start at the Daily Series again.

3) If puppy/dog is exposed to a virus and/or shows signs of viral illness:

If the dog shows signs of Parvo, Distemper, Lyme, Coronavirus, etc., then administer the homeopathic remedy every 15 minutes – it’s easy to squirt it into the mouth and keep the mucous membranes wet. Homeopathics will not interfere with any conventional treatments and additional homeopathics can be given (such as arnica or tissue salts) as a supportive measure. The homeopathics help to signal the cells of the body with instructions on how to heal, and in most cases will shorten the duration and severity of the illness.

Guidance for Vaccines and Homeopathics

The regimen that we have developed has worked well with great results since 2005. The goal is to minimize the administration of regular vaccines to those which are critically necessary and using Homeopathic Sarcodes/Nosodes to detox vaccinations and confer natural immunity over time. The results of a study done in England showed that dogs automatically develop immunity to viruses in the 5-way vaccines without being exposed. The memory function that programs antibodies is already inside their immune system, but it takes at least 8 to 12 to 16 months for the programming to fully develop and provide immunity to those viruses.

AVOID giving a vaccine or booster if the puppy/dog has immunity and has developed antibodies for the fraction in the vaccine. If the dog has immunity to the virus fraction in the vaccine, then the vaccine is not needed. Boosters are potentially harmful because the virus fraction in the vaccine inserts itself into the DNA of the host cells (parvo invades the digestive tract, hepatitis invades the liver, distemper invades brain cells, etc.) and starts producing the virus and infecting other cells. Antibodies work to kill and eliminate the infected cells and then the crisis is over. However, the virus can lay dormant in some cells and those cells are not killed. The virus from the booster can then invade a dormant viral cell and since the normal DNA location is already taken, it will find a different place to insert itself and then take over and turn the cell into a virus producing cell. However, the replication will include some of the normal cellular DNA, and this results in programming new antibodies that are programmed to kill "Normal" gut/liver/brain cells in addition to virus infected cells. This is the start of auto-immune conditions where the body's immune system attacks its own cells and organs. This is not a reversible or treatable condition at this time. Another problem is that the booster virus can cripple the "Off" button that regulates cellular reproduction, and these mutated cells are the classic root cause of Cancer. DNA analysis of cancer cells show virus fractions, and most also show DNA from microscopic parasites as well.

There is always risk when deciding how and when to vaccinate. We advise getting an Antibody Titer for viruses that are prevalent in your area. A titer requires drawing a blood sample and it will reveal the types of antibodies that are present in the dog's body.

The puppy gets a Parvo/Distemper vaccine prior to pick up because Parvo originated in the 1980s (so dogs do not have natural immunity) and Distemper is serious and very deadly, like rabies. If the titer shows antibodies for Parvo and Distemper, then AVOID boosters for those to minimize risk of autoimmune conditions or cancer. The immunity will last the dog's lifetime, just like chicken pox and measles antibodies last a lifetime. Viruses never leave the body, they are always inside the cells once exposed or infected.

ALSO, science has shown that repeated boosters overwhelms the body's immune response and this results in the dog developing the most serious neurological form of the virus. Boosters do not add a layer of protection, they should only be used if the original vaccine was not effective in building immunity. Boosters can also revert to the most serious form of the virus on their own (if they contain a bad fraction or cause an allergic reaction in the puppy/dog) and can result in permanent damage, causing seizures/epilepsy, etc. Sometimes, the damage doesn't start showing up until months later.

Vaccines for Bacterial Infections, such as Leptospirosis, Bordetella, Lyme Disease, etc. are not necessary or recommended unless there is an outbreak or high risk in your area. These vaccines are not very effective and are temporary because they produce a bacterial infection. A different segment of the immune system deals with bacterial infections, so immunity is not stored and does not last more than a few weeks. With Bordetella, the dog comes down with a full case of kennel cough and requires antibiotics for treatment. Giving the Homeopathic Remedy provided will help provide the best protection for bacterial pathogens.

Protocol for Vaccines, Titers and Homeopathics

The puppy receives an initial vaccine for Parvo and Distemper at 10-12 weeks of age. This is the time frame that the adaptive immune system matures and begins to function.

- The Homeopathics are started at the same time that the vaccine is given. Follow the schedule in this doc.

- About 4-6 weeks after the date of the original vaccine, take an antibody titer to check for immunity. If antibodies are present for Parvo and Distemper, then no further boosters are needed. If there are no antibodies for one or the other, then a booster should be given for the deficient fractions.
- If the Titer process at your vet is too expensive, search online for Titer Kits (around \$50-\$75) that you can take to your vet. Send it in according to the instructions and you'll receive the results. There are always options – and a holistic/homeopathic Vet is always a better choice than a standard allopathic vet practice.
- If a booster is required, then start the homeopathic schedule over at the beginning.
- AVOID giving vaccines that are 3, 4, 5, or 7 way vaccines with multiple fractions and components. These overwhelm the immune system and can potentially cause seizures/epilepsy due to damaging brain cells or producing anaphylactic reactions.
- AVOID giving vaccines that contain ADENOVIRUS, also listed as CAV-1 or CAV-2. This is an adjuvant that is supposed to stimulate the immune system, however this virus lodges in eye cells (and stays there permanently!) which usually leads to degenerative conditions later in time.
- Keep a copy of the vaccine vial label with the puppy/dog health records so that you can do detective work at a later time. Keeping good records is always a plus.

Detoxification of regular vaccines - Homeopathic nosodes should be given in conjunction with regular vaccines to detoxify the effects of the vaccine. Homeopathic nosodes can be given at any time, even if illness or fever are present. There are NO side effects from homeopathic remedies. Give two homeopathic nosode tablets once or twice a day for two to four days.